



# INTERNAL DEBEADER

110-450 MM



Ultimate Solutions.  
Intelligent Delivery.



## COMMENTS

The internal bead removal tool is a manual kit for the simple and effective removal of internal beads formed during the butt fusion process. The internal debeader can remove beads from polyethylene pipes in the range 110mm – 400mm and 450mm using the optional extra adaptor.

Rods can be quickly clipped together to de-bead pipe lengths up to 13.2m. Extra rods can be purchased for longer lengths. The bead is retained in the head after removal process for later inspection.

## STANDARD COMPOSITION

- Rods and discs supplied in durable easy carry bags
- Heads and ancillary components are housed in a robust carry case
- Storage box
- Drive handle
- No. 1 size head, no. 2 size head, no. 3 size head, no. 4 size head
- 2 x Allen keys
- 3 x size 1 rod supports
- 3 x size 2 rod supports
- 3 x size 3 rod supports
- 3 x size 4 rod supports
- 3 x size 4b rod supports
- 1 x rod bag
- 6 x 2 meter rods
- 1 x 1 meter rod

## ON REQUEST

- Internal Debeader 500 – 630 mm
- Adapter for 450mm



### WELLINGTON

17 Raiha Street, Porirua


### AUCKLAND

3/68 McLaughlins Road, Wiri

**P** 0800 473 100


**E** sales@upg.net.nz

**W** upg.nz



## TECHNICAL FEATURES

CODE	DESCRIPTION	WEIGHT	WXDXH
9985-IBRTKIT	Ø 110-400mm Internal bead removing tool 11 x 1.2m aluminium rods	42.5 Kg	N/A
	4 x disc set (bag) 16.5kg	16.5 Kg	650 x 340 x 200mm
	11x 1.2m alu rods & drive handle bag set 16.0kg	16 Kg	1300 x 200 x 200mm
	4 x heads, drive adaptor & hex keys box set 10.0kg 10	10 Kg	425 x 210 x 320mm
9985-31681	Spare blade for head 1 and 2	0.03 Kg	45 x 25 x 6mm
9985-32187	Spare blade for head 3 and 4	0.05 Kg	70 x 25 x 7mm
9985-91425	Adapter for Ø 450mm SDR11	0.5 Kg	225 x 50 x 16mm
9985-91474	Adapter for Ø 450mm SDR17.6	0.9 Kg	225 x 77 x 16mm
9985-51416	Screw (2 per adaptor required)	0.013 Kg	24 x 12 x 12mm



Tool set up (No.4 head single aluminium rod shown)



Optional extra adaptor for 450mm



Drive handle for aluminium rod kits is adjustable and slides for use in confined spaces



Drive adaptor - joins heads to aluminium rods

### WELLINGTON

17 Raiha Street, Porirua

### AUCKLAND

3/68 McLaughlins Road, Wiri

**P** 0800 473 100

**E** sales@upg.net.nz

**W** upg.nz

