



MANUAL PIPE CUTTERS AND SHEARS

SIZE RANGE: 25 - 315 MM



Ultimate Solutions.
Intelligent Delivery.



Pipe Cutters 25-315 MM

UPG stocks a range of pipe cutters to suit pipes from 25mm to 315mm. Simple to use, the cutting bade is tensioned to slice the PE wall gradually as the tool is rotated around the pipe.



T1



T3



T4

STANDARD COMPOSITION

Pipe cutter with blade:

- T 1 + blade Ø 25 mm – 5.5mm Wall Max
- T 3 + blade Ø 53 mm – 17.5mm Wall Max
- T 4 + blade Ø 53 mm – 19.4mm Wall Max. Max wall thickness is 315mm SDR17 or 250mm SDR13.6

Carrying case supplied with T4 pipe cutter only.

TECHNICAL FEATURES

CODE	WORKING RANGE
9980-QRC63 (T1)	Ø 6mm - 63mm
9980-QRC110 (T3)	Ø 50mm - 110mm
9980-QRC160 (T3)	Ø 110mm-160mm
9980-98180000 (T4)	Ø 180mm-315mm

WELLINGTON

17 Raiha Street, Porirua


AUCKLAND

3/68 McLaughlins Road, Wiri

P 0800 473 100

E sales@upg.net.nz

W upg.nz



Pipe Shears 20-75 MM



COMMENTS

UPG stocks a range of pipe shears to suit pipes up to 75mm. The ratchet mechanism tensions to cut the PE wall gradually, giving a clean cut ready for electrofusion or socket fusion welding.

TECHNICAL FEATURES

CODE	WORKING RANGE
9980-PC40	20-40mm
9980-PC63	20-63mm
9980-PC75	25-75mm

WELLINGTON

17 Raiha Street, Porirua

AUCKLAND

3/68 McLaughlins Road, Wiri

P 0800 473 100

E sales@upg.net.nz

W upg.nz

