





RITMO RTC ROTARY PIPE SCRAPER

160 / 315 / 500 / 710



COMMENTS

These professional rotary scrapers, designed and patented by Ritmo, are preferred by many contractors for electrofusion welding. The main chuck has four extendable arms that clamps directly the inside diameter of the pipe.

One big benefit is these can hold short leg stub flanges and spigot bends and tees. Most other scrapers on the market are unable to hold the short leg so it is a big benefit to the installer.

Practical and handy, they come with a carry case to keep all parts together as the arms have varying insert attachments depending on the size you are scraping.

Among the main construction features, there is a device that makes it possible to maintain the thickness of the continuous peel constant, even if the pipe is misshaped, and to adjust the length of the surface to scrape according to the depth of the electrofusion coupler.

The RTC 500 & RTC 710 features an extendable arm to scrape the exact length of the electrofusion coupler, which is an advantage when having to perform maintenance/repair jobs on the building site.

STANDARD COMPOSITION

- Pipe scraper body with attachments
- Adapters kit (except for RTC 710)
- Spare blade
- Handwheel key (for RTC 315 and RTC 500)
- · Quality aluminium transport case
- · Screwdriver and small cutter



watch the video



RTC 160



RTC 315



RTC 500



CARRY CASE



TECHNICAL FEATURES

MODEL	RTC 160	RTC 315	RTC 500	RTC 710
Range External Internal	Ø 50 ÷ 160 mm Ø 38 ÷ 154 mm	Ø 75 ÷ 315 mm Ø 58 ÷ 300 mm	Ø 180 ÷ 500 mm Ø 110 ÷ 485 mm	Ø 355 ÷ 710 mm Ø 290 ÷ 675 mm
Max scraping length	114 mm	137 mm	465 mm	530 mm
Max Dimensions	380 x 120 x 250 mm	510 x 310 x 410 mm	780 x 500 x 250 mm	825 x 805 x 695 mm
Dimensions transport case	390 x 210 x 135 mm	230 x 500 x 270 mm	280 x 750 x 480 mm	800 x 580 x 350 mm
Scraper only weight	2,50 Kg	4,50 Kg	14 Kg	16 Kg
Weight standard composition	5,65 Kg	7,5 Kg	23 Kg	28 Kg

17 Raiha Street, Porirua

AUCKLAND

3/68 McLaughlins Road, Wiri

P 0800 473 100

E sales@upg.net.nz

W upg.nz

